INDEX TO SCIENTIFIC NAMES
HERPETOLOGICA
Volume 45 December 1989

Abronia 227, 230
deppii 228
graminea 228
kalaina 228
oaxacae 228
taeniata 228
Acacia 52
polyphylla 405
Acerosodontosaurus 370
piveteaui 369
Adelphicos 420
Aegintha temporalis 207
Aeluroscalabotes 375
borneensis 376
multituberculatus 376
Agkistrodon bilineatus 242, 248, 430, 437
bilineatus bilineatus 243–247, 431
bilineatus taylori 243–247, 431
blomhoffii 430–431, 437
blomhoffii blomhoffii 431
brevicaudus brevicaudus 431
brevicaudus ussuriensis 431
caliginosus 430–431, 437
contortrix 44, 242–244, 246–248, 430, 433–437
contortrix contortrix 431
contortrix laticinctus 431
contortrix mokasen 431
contortrix phaeogaster 431
contortrix pictigaster 431
halys 243–244, 246–248, 430–432, 436–437
halys caraganus 431
halys halys 431
himalayanus 430–431, 437
intermedius 430, 437
intermedius caucasicus 431, 437
intermedius intermedius 430–431, 437
intermedius saxatilis 431–432, 437
intermedius stejnegeri 431, 437
monticola 430–432, 437
piscivorus 243–244, 246–247, 430, 433, 437
piscivorus conanti 431
piscivorus leucostoma 431
piscivorus piscivorus 431
strauchi 430–432, 437
Alligator mississippiensis 305–306
Alsophis portoricensis 72
sancticrucis 366
Amblyrhynchus 259
cristatus 293
Ambystoma 113, 461, 474
annulatum 270–271
gracile 270, 284
jeffersonianum 117, 267, 270–271
laterale 161, 163–166
laterale × *texanum* 161, 163–166, 270
macrodactylum 155–160, 270, 302, 459, 465
maculatum 112, 117, 155–160, 270–271
mexicanum 270
opacum 155–159, 270, 459
talpoideum 117, 155–160
texanum 155–156, 161, 163–166, 270, 459–460, 462, 465–466
tigrinum 116–117, 269–270, 284, 459, 465–466
tigrinum tigrinum 116
tremblayi 155–159
Ameiseophis 355, 363
Ameiva ameiva 77
Amphibolurus muricatus 204
Andrias 276
Aneides 133, 168
aeneus 155, 270–271
Anodonthyla 256–257
Anolis 232
darlingtoni 330–332, 335
fowleri 330–332, 335
grahami 330
insolitus 330–333, 335
occultus 330–332, 336
***placidus* 330**–335
sagrei 330
shaplani 330–336
valencienni 330–332, 336
Antillophis parvifrons 366
Aparallactus modestus 367
Aprasia striolata 205
Arcovomer 256
Arizona elegans 355, 366
Arthroleptis 257–258
Asellus 460
Asterophrys sp. 250
Atractus 360, 420
Barisia 230
antauges 227
gadovii 227
imbricata 227–228
juarezi 227
levicollis 227–228
monticola 227
moreleti 227
rudicollis 227–228
viridiflava 227
Barygenys 256–258
atra 253
aff. *flavigularis* 250–255
flavigularis 250–251, 253–255
Bitis caudalis 437
Bixa orellana 405
Bothrops asper 444–448
atrox 449
Brachylophus 259
Breviceps 256
Bufo 285–289
americanus 101, 104, 106–108, 283–284, 291

boreas 290
marinus 101–102, 104–105, 107, 221
Caecilia 28–29
gracilis 36
nigricans 36
pachynema 36
tentaculata 36
Calloselasma rhodostoma 243–244, 246–248, 430–431, 437
Calluella 257
Callulina 256
Canis latrans 296
Caretta caretta 183, 192
Carlia tetradactyla 205
Carphophis 359
amoenus 355
vermis 77
Cassia sp. 405
Cecropia peltata 452–453
sp. 405, 454–456
Cedrelinga cateniformis 405
Cemophora 355
Centrolenella ***azulae*** 401, **402**–403, 405, 407–410
bergeri 401
fleischmanni 455
mariae 401–402, 405, 407–410
medemi 407, 410
midas 401, 405
munozorum 401
ocellata 401
phenax 401, 405
pluvialis 401, 405
puyoensis 401, 403–404, **406**–410
siren 401
spiculata 401
truebae 401
Chelodina longicollis 89
oblonga 89–92
Chelonia mydas 181, 192–193
Chelus fimbriatus 61–66
Chelydra 61
serpentina 76, 94–95, 97, 308
Chersodromus 360
Chiasmocleis 9, 256
Chilomeniscus stramineus 367
Chionactis 356
occipitalis 355, 367
palarostris 367
Chrysemys picta 76, 94–95, 97–99, 308, 385
Chthonerpeton 24, 29–34
braestrupi 36
corrugatum 36
erugatum 36
haydee 25
helmichi 36
indistinctum 23, 25–28, 36
onorei 36
petersii 25
viviparum 36
Clarisia racemosa 405
Cnemidophorus 77
Coleonyx 375
mitratus 376
Colpoglossus 257
Coluber 355, 359
cadurci 362
constrictor 366
Coniophanes 357
andresensis 412
bipunctatus 422
brevifrons 412, 423
dromiciformis 411–413, 421–424
fissidens 366, 411–413, 418–422, 424
imperialis 418, 420–421, 424
joanae 411, 413, 417, 421–423
longinquus 411, **412**–413, 415–423
meridanus 413, 424
signatus 424
Conolophus 259
pallidus 293
subcristatus 293
Conophis 356–357, 359, 363
lineatus 366
vittatus 366
Conopsis nasus 367
Contia 359
tenuis 366
Cophixalus 256–257
cryptotympanum 250, 252–254
kaindiensis 250, 254
pansus 250–251, 253–255, 258
parkeri 250, 252, 254
riparius 250–255
shellyi 251–252, 254
sphagnicola 251–252, 254
variegatus 250–252, 254
"*variegatus*" 253
Copiula 256
fistulans 251–252, 254
oxyrhina 253
Cottus bairdi 276
Crocodylus niloticus 221
novaeguineae 263
Crotalus 245
atrox 344–345
lepidus 344–349
lepidus klauberi 348
lepidus × *willardi* 346–347
molossus 344–346
pricei 344, 346–347
scutulatus 344–345
tigris 345
viridis 299, 302–303, 344–345
viridis oreganus 299–303
willardi 344–349
Cryptoblepharus plagiocephalus 205
virgatus 205
Cryptobranchus allegheniensis 275–276
Ctenophorus adelaidensis 204
caudicinctus 204
nuchalis 204
pictus 204
sp. 204
Ctenosaura 259–261
similis 293, 296–297
Ctenotus catenifer 205
essingtoni 205
fallens 205
labillardieri 205
pantherinus 205

regius 205
robustus 205
saxatilis 205
sp. 205
taeniolatus 205
Cycloramphus bandeirensis 425–426, 429
brasiliensis 425, 429
dubius 425, 429
fuliginosus 425, 428–429
granulosus 428
jordanensis 425–426, 429
***juimirim* 425**–429
ohausi 428
valae 428
Cyclorana australis 204
sp. 204
Cyclura 259
stejnegeri 293
Cynops pyrrhogaster 270
Cyrtodactylus montiumsalsorum 47
Cyrtopodium 47, 51
Dacryodes excelsa 453
excelsor 69
Dakotaophis 355, 363
Daphnia 459–460, 463–466
Darlingtonia haetiana 366
Dasypus novemcinctus 297
Deinagkistrodon 247, 430, 433–434, 437
acutus 243–244, 246, 248, 431–432
Deirochelys reticularia 76, 308
Demansia 201
devisi 207
sp. 207
Dendragapus obscurus 302
Dendrophidion brunneum 421
Dermatonotus 256
Dermochelys 193
coriacea 190–192
Dermophis 28–29
mexicanus 36
Desmognathus 113, 121, 167, 268
***apalachicolae* 37–38**, 39–45
auriculatus 37–39, 41, 43–44
fuscus 37, 39–41, 142, 144, 270
fuscus conanti 37–39, 41, 43–44
fuscus fuscus 41
monticola 37–39, 114–115, 119, 142, 144–155, 270
ochrophaeus 37–39, 41, 44–45, 114–115, 141, 144–148, 152–153, 155, 165, 168–171, 270–272, 274–276, 328
quadramaculatus 114–115, 119, 144–145, 152–153, 168–171
sp. nov. 38
wrighti 114, 144, 270
Diadophis 358–359
elinorae 355–356, 363
punctatus 366
Dicamptodon 168
Didymopanax morototoni 453
Diplodactylus alboguttatus 204
conspicillatus 204
granariensis 204
sp. 204
stenodactylus 205
stenurus 205
taenicauda 205
tesselatus 205
vittatus 205
Dipodomys merriami 120
ordii 120–121
Dipsosaurus 259
Drosophila 324
Dryinoides 355, 363
Drymarchon 355
Drymobius margaritiferus 423
Duberria lutrix 367
Dyscophus 256
Dytiscus dauricus 116
Elachistocleis 256
Elaphe 355, 359
carinata 366
guttata 75, 77–81
longissima 366
moellendorffi 366
obsoleta 366
quatuorlineatus 366
radiata 366
schrencki 366
subocularis 366
vulpina 366
Eleutherodactylus 18, 107, 420
conspicillatus 408
coqui 68–69, 71, 451–452, 455
diadematus 408
lacrimosus 408
lanthanites 408
martiae 408
quaquaversus 408
Elgaria 227, 230–231
coerulea 228, 302
kingii 228
multicarinata 228
panamintina 228
paucicarinata 228
Elseya latisternum 89
Emydoidea blandingi 94–95, 97, 308
Emydura krefftii 76
macquarii 89
Ensatina 168, 271
eschscholtzi 270
eschscholtzii 141
Enyaliosaurus 260
Epicrionops 28–29
marmoratus 36
petersi petersi 36
Eremiascincus richardsoni 206
Eretmochelys 193
Erthyrolamprus bizona 366
mimus 366
Erythrina sp. 405
Eublepharis 375–376
Eulamprus quoyii 206
Eunectes dechauenseei 430
notateus 430
Euproctus 269, 311
asper 270
Eurycea 268, 271
bislineata 168, 270, 320, 322, 324, 326
cirrigera 42, 320, 322, 324–325, 327

junaluska 322, 324, 326
multiplicata 322
nana 322
neotenes 322
quadridigitata 319–320
wilderae 322–326, 328
Eutamias amoenus 301
Farancia 355, 359
Ficimia olivacea 367
Ficus anthelmentica 405
Gastrophryne 256
Gastrotheca 18
aureomaculata 22
helenae 22
Gehyra australis 205
sp. 205
variegata 205
Gekko gecko 442
hokouensis 442
japonicus 442
kikuchii 438–439, 441–443
petricolus 438–440, 442–443
smithii 438–439, 441–443
subpalmatus 442
swinhonis 442
tawaensis 438–440, 442–443
yakuensis 438–440, 442–443
Geochelone radiata 89
Geophis 420
Gephyrosaurus 370
bridensis 369
Gerrhonotus coeruleus 77
Glossostoma 256
aequatoriale 257
Goniurosaurus 375
Gopherus agassizii 92
polyphemus 76
Grandisonia 29
Graptemys barbouri 44
nigrinoda 94
pulchra 94, 98
Guzmania berteriana 453
Gyalopion quadrangularis 367
Gymnodactylus caspius 46, 52
fedtschenkoi 46–47
geckoides 46, 76
kachhensis 50
montiumsalsorum 47, 51
montium-salsorum 47
watsoni 53
Gymnopis 29
multiplicata 36
Gyrinophilus 168
Haideotriton wallacei 44
Hamptophryne 256
boliviana 9
Hemiergis decresiensis 206
peronii 206
Hemitheconyx 375–376
Heterodon 356, 358–359, 363
nasicus 366
platyrhinos 366
simus 366
Heteronotia binoei 205
spelea 205
Holbrookia texana 76
Holodactylus 375
Homoeosaurus 369–370
Hyallela sp. 460
Hyla ***allenorum*** 1–**2**, 3, 5, 9
andersonii 126
bokermanni 1, 5
brevifrons 1, 5
columbiana 1
crucifer 124–126
ebraccata 172, 176
erythromma 16
favosa 17–22
giesleri 2, 5
granosa 408
koechlini 1–2, **5**, 7–9
leali 5, 8–9
legleri 16
leucophyllata 1, 17–22
luteocellata 5
microcephala 1, 172, 177
microps 5
minima 1
parviceps 1–2, 5, 9, 18
pauiniensis 2, 5
phlebodes 172, 177
regilla 22, 302
rosenbergi 268
salvadorensis 16
schubarti 2, 9
soralia 16
sp. 408
subocularis 5
timbeba 2, 5
triangulum 18–19
uranochroa 16
versicolor 179, 455
Hylophorbus 256
rufescens 253
Hynobius 276
Hyperolius marmoratus 22
viridiflavus 18
Hypnale 437
halys 430
hypnale 430–431
nepa 430–431
walli 430–431
Hypopachus 256
Hypsiglena 363, 420
torquata 355, 366
Iguana 259
iguana 76, 293, 296–297
Imantodes 363, 420
cenchoa 366
gemmistratus 366
inornatus 366
spp. 350
Japalura brevipes 55–60
swinhonis 55, 58–60
swinhonis formosensis 55, 58–60
swinhonis mitsukurii 55, 58–60
swinhonis swinhonis 55–60
Junco hyemalis 301
Kaloula 256–257
Kinosternon baurii 76

flavescens 76
subrubrum 76
Lacerta 225
vivipara 77
Lachesis 245
muta 243–244, 246
Lampropholis 355
delicata 206
getulus 367
guichenoti 206
sp. 206
triangulum 367
Lanthanotus 371, 373
Leiolopisma platynotum 206
sp. 206
trilineatum 206
Lepidochelys olivacea 192–193
Lepomis macrochirus 284
Leptodactylus wagneri 9
Leptodeira 356, 420
annulata 366
punctata 366
Lerista bipes 206
bougainvillii 206
fragilis 206
labialis 206
sp. 206
Limnodynastes convexiusculus 204
fletcheri 204
ornatus 204
sp. 204
tasmaniensis 204
terrareginae 204
Liodytes 430
Litoria 258
caerulea 204
fallox 204
infrafrenata 257
rubella 204
sp. 204
Lophognathus longirostris 204
Loxocemus bicolor 297
Lucasium damaeum 205
Lutkenotyphlus braziliensis 36
Lygodactylus klugei 77
Macroclemys 61
Macropholidus ruthveni 420–421
Malaclemys terrapin 76, 94
Malpolon 355
Manculus 319
Manilkara bidentata 453
Manolepis putnami 366
Mantipus 256
Margarops fuscatus 72
Marmota flaviventris 301
Masticophis 355
flagellum 196, 366
lateralis 366
Menetia greyii 206
Mephitis mephitis 97
Mesaspis antauges 227–228, 231
gadovii 227–231
juarezi 227–228, 231
modesta 228
monticola 227–231
moreleti 227–231
viridiflava 227–231
Microcaecilia albiceps 36
unicolor 36
Microhyla 256–257
Micropterus n. sp. 44
salmoides 284
Microtus 302
montanus 300–301
pennsylvanicus 300–301
pennsylvaticus 45
Micrurus isozonus 423
psyches 423
Mimocichla plumbea 72
Morethia adelaidensis 206
boulengeri 206
obscura 206
sp. 206
Moxostoma n. sp. 44
Mus 195
domesticus 201–202, 207
Napaezopaus insignis 140
Nasua nasua 296
Nebraskophis 355
Nectandra sp. 405
Nectocaecilia 24, 29–32
cooperi 25
fasciata 23, 25–26, 28
haydee 27
ladigesi 25, 27, 36
petersii 26–27, 36
Neonatrix 362
Neotoma 302
cinerea 301
Nerodia 362
erythrogaster 367, 436
sipedon 84, 86–87
sipedon insularum 84
Ninia 420
Norops baccatus 238
breedlovei 235–238, 240, 242
cobanensis 235–240, 242
cymbops 238
damulus 238
duellmani 235–238, 240, 242
guntheri 238
heteropholidotus 238
johnmeyeri 235, 238–240, 242
laeviventris 238
matudai 238
milleri 235–240, 242
***naufragus* 232–233**, 234–237, 239–242
parvicirculatus 235–238, 242
petersi 232
polyrhachis 235–240, 242
rodriguezii 238
schiedii 232–233, 235, 238–241
sminthus 238
Notechis 201
ater 84
ater niger 393
scutatus 394, 398
scutatus/ater complex 393
Notomys mitchelli 207
sp. 207

Notophthalmus 112, 125–126, 274, 316, 320
viridescens 116–117, 124, 267, 270–271, 275–276, 326
Notropis euryzonus 44
sp. 62
Nyctimystes 257
Oedura castelnaui 205
marmorata 205
sp. 205
Ololygon 9
Omolepida branchialis 206
Ondrata zibethica 302
Opheodrys 355
aestivus 77
Ophryoessoides 420
Oreophryne 256
biroi 253
brachypus 253
Ormosea krugi 453
Oryctolagus cuniculus 207
Oscaecilia 28
ochrocephala 36
Otophryne 256
robusta 257
Otus nudipes 72
Oxybelis 356, 367
aeneus 366
brevirostris 366
fulgidus 366
Oxyrhopus 356–357
fitzingeri 366
petola 366
Oxyuranus 201
Palaeagama 370–371
vielhaueri 369
Paleofarancia 355, 363
Paleoheterodon 363
Paliguana 370
whitei 369
Paracoluber 355, 363
Paramesotriton 271
caudopunctatus 270
chinensis 270
delastouli 270
hongkongensis 270
Paraoxybelis 355, 363
Passerculus sandwichensis 302
Perognathus 302
parvus 301
Peromyscus 300, 302
maniculatus 301
Phrynomantis 256
lateralis 251–252, 254
stictogaster 250, 253
Phrynomerus 256
Phrynosoma 213
asio 208–212
boucardi 209
braconnieri 209–212
cornutum 208–212, 214
coronatum 208–209, 211–212
ditmarsi 209–212, 215
douglassii 208–212, 215
mcallii 208–212, 214–215
modestum 209–212, 214–215
orbiculare 209–212, 215
platyrhinos 208–212, 215
solare 209–212, 214–215
taurus 209–212
Phyllodactylus marmoratus 205
Phyllomedusa tomopterna 9
Phyllopezus pollicaris 77
Phyllorhynchus 355
Picea sp. 45
Piper angustifolium 405
Pipilo erythrophthalmus 301
Pituophis 355
melanoleucus 366
Planigale sp. 207
Platymantis 258
hazelae 257
papuensis 257
Platypelis 256
Plethodon 168, 326, 468
caddoensis 270
cinereus 112–113, 139–142, 155, 159–160, 271, 470, 472
dorsalis 469–470, 472
glutinosus 113–114, 117, 121–122, 141, 155, 267, 270, 319, 469–470
glutinosus complex 472
hoffmani 139, 470, 472
hubrichti 469–470, 473
jordani 112–114, 117, 121–122, 141, 155, 270, 470, 473
larselli 141
nettingi 470, 473
ouachitae 270
punctatus 470, 473
richmondi 470, 473
serratus 470, 473
shenandoah 112–113, 467, 469–471, 473
vehiculum 133–142, 155, 159, 270–271
websteri 139, 141, 469–470, 473
wehrlei 322, 470, 473
welleri 270, 470, 473
yonahlossee 121, 270, 470, 473
Plethodontohyla 256
Pleurodeles 168, 317, 319
waltl 270
Pliocercus euryzonus 423
Pogona barbata 204
minor 204
vitticeps 204
Pooecetes gramineus 302
Porthidium godmani 243–244, 246
Potomotyphlus 23, 25, 28–34
kaupii 26–27, 36
melanochrous 36
Prestoea montana 69, 452
Procyon lotor 97, 296
Proptychophis achoris 350, **352**–353, 355–358, 360–363
Psaltriparus minimus 301
Pseudacris 287–288, 290
crucifer 172–175, 177, 179
triseriata triseriata 285
Pseudemydura umbrina 89, 92
Pseudemys floridana 76
Pseudoboa neuweedii 366

Pseudocemophora 355, 363
Pseudoficimia frontalis 367
Pseudohemisus 256
Pseudomys sp. 207
Pseudonaja affinis 195, 197–200, 202
guttata 196–201
inframacula 195–202
ingrami 197–198, 200
modesta 195–201
"*nuchalis*" 195–200, 202, 207
textilis 195–202, 207
Pseudotriton ruber 42, 270
Pseudotyphlonectes 23, 33–34
Ptychohyla erythromma 15
euthysanota 10–11, 15–16
ignicolor 15
***merazi* 10**–16
panchoi 10–11, 15–16
schmidtorum 15–16
spinipollex 10, 14
Ramanella 256–257
Ramphotyphlops endotera 207
Rana 258, 336–337
arfaki 341
catesbeiana 68
clamitans 101, 104–105
dybowskii 257
japonica 257
ornativentris 257
pipiens 101–104, 106–108
pretiosa 302
sp. 343
sp. 1 338–343
sp. 2 338–343
sp. 3 338–343
sp. 4 338–343
sp. 5 338–343
supragrisea 442
Ranodon 276
Rattus lutreolus 207
rattus 207
sp. 207
tunneyi 207
Regina rigida 430
Rhacodactylus leachianus 221
Rhadinaea 420
brevirostris 421
decorata 366
flavilata 355
guentheri 412
lateristriga 423
occipitalis 421
Rhinatrema 28
Rhinocheilus 355
Rhyacotriton 271
olympicus 270
Rhynchoedura ornata 205
Russellophis 355
Salamandra 316, 319–320
salamandra 270
Salamandrina 271, 312, 316–317, 319–320
terdigitata 310–311, 313, 315
Salvadora 355, 363
grahamiae 367
Sauromalus 259
obesus 140
Saurosternon 370
bainii 369
Scaphiodontophis venustissimus 367
Scaphiopus couchii 108
Sceloporus jarrovi 140
merriami 76
orcutti 140
undulatus 76
Scolecophis 359
Simophis 359
Siphonops 28–29
annulatus 25–26, 36
paulensis 36
Sistrurus 245
catenatus 303
ravus 243–244, 246
Sloanea berteriana 453
Sminthopsis sp. 207
Sonora 356
aemula 367
episcopa 367
semiannulata 355, 367
Sorex 300
cinereus 301
Spea intermontana 302
Spermophilus lateralis 140
Sphenodon 376–377
punctatus 92, 369
Sphenomorphus isolepis 206
sp. 206
Sphenophryne 256
"*brevicrus*" 253
cornuta 253
palmipes 251–252, 254
rhododactyla 251–252, 254
Stenocercus 420
Stenorrhina degenhardti 367
freminvilli 367
Stereocyclops 256
Sternotherus minor 76
odoratus 76
Stilosoma extenuatum 355
Stilostoma extenuatum 355
vetustum 355
Sturnus vulgaris 301
Synaptomys cooperi 45
Tamiasciurus hudsonicus 301
Tantilla 358
atriceps 366
coronata 355
gracilis 356, 359
nigriceps 366
planiceps 366
Taricha granulosa 327
torosa 270, 326–327
Taxus floridana 44
Tenuidactylus agamuroides 46, 51
caspius 46, 51
chitralensis 52
dattanensis 52
dattensis 52
elongatus 46, 51

fedtschenkoi 46, 50–51
himalayanus 52
kachhensis 46
kirmanensis 52
longipes 51
mintoni 52
montiumsalsorum 46–53
scaber 46, 51
stoliczkai 52
tibetinus 52
turcmenicus 46, 51
voraginosus 52
watsoni 46, 51
Terrapene carolina 76
Texasophis 355, 363
galbreathi 362
Thamnophis 362
butleri 75, 77
couchi 367
cyrtopsis 367
marcianus 77
melanogaster 77
sirtalis 77, 84–85, 87, 167–170, 302
sp. 168
Thomomys 302
talpoides 301
Tiliqua gerardii 206
rugosa 206
Toluca lineata 367
Torreya taxifolia 44
Trachemys scripta 76, 94, 225
Trimeresurus flavoviridis 75, 77–81
okinavensis 75, 77–81
Trimorphodon 356, 358–359
biscutatus 355, 366
spp. 355
tau 366
Trionyx muticus 76, 94
Triplaris sp. 405
Triturus 269, 311, 320
alpestris 270, 272
cristatus 270–271, 319
italicus 270
marmoratus 270–271
vittatus 268, 270–271
vulgaris 267, 270, 272, 274, 276–277
Tropidodipsas fasciata 366
philippi 366
Tropidurus peruvianus 422
Tupinambis 225
nigropunctatus 217–218
teguixin 218
Tylototriton 317, 319
Tympanocryptis tetraporophora 204
Typhlonectes 23, 29
anguillaformis 36
compressicaudus 26–27, 30–34, 36
eiselti 36
natans 25–28, 30–34, 36
Underwoodisaurus milii 205
Unechis nigriceps 207
Uperodon 256–257
Urosaurus graciosus 76
ornatus 76
Uta stansburiana 76
Varanus 371, 373
brevicauda 206
gouldii 206
rosenbergi 206
Vipera ammodytes 243–245
berus 77
Virginia valeriae 367
Vulpes vulpes 97
Xenodon 360
severus 366
Xenopus laevis 108
Youngina 370
capensis 369
Zonotrichia leucophrys 302

TOPICAL INDEX
HERPETOLOGICA
Volume 45 December 1989

ALLOZYMES, *Hyla favosa* 17–23; *Mesaspis* (4 spp. compared) 227–232; *Norops* (4 spp. compared) 232–242; *Rana* spp. (New Guinea) 336–343.

ANATOMY, *Ambystoma* (male cloacal anatomy in a hybrid population) 161–167; *Eurycea bislineata* complex (male caudal hedonic glands) 322–329; *Salamandrina terdigitata* (female cloaca) 310–322; *Tupinambis nigropunctatus* (intrinsic lung musculature and its innervation) 217–227.

BEHAVIOR, *Ambystoma* (intraspecific agonistic behavior of 4 spp.) 155–160; *Ambystoma texanum* (foraging behavior) 459–467; *Bufo americanus* tadpoles (response to chemical stimuli) 283–292; *Chelus fimbriatus* (prey density-dependent search behavior in the laboratory) 61–67; *Dermochelys coriacea* (inter-nesting migrations in the West Indies) 190–194; *Desmognathus ochrophaeus* and *D. quadramaculatus* (antipredator behavior against snake attack) 167–171; newts and salamanders (sexual) 265–282; *Plethodon* (duration of immobility defensive behavior in 15 spp.) 467–472; *Pseudacris crucifer* (aggressive call duration) 172–181; *Rana clamitans, R. pipiens, Bufo americanus,* and *B. marinus* locomotion (affected by dehydration) 101–110.

BIOGEOGRAPHY, colubrid snakes 350–367.

BODY SIZE, *Nerodia sipedon* and *Thamnophis sirtalis* (parallel geographic variation) 84–88.

CHEMICAL COMMUNICATION, *Bufo americanus* (tadpoles) 283–292.

CHROMOSOMES, *Gekko* (5 spp. from E and SE Asia) 438–443; *Japalura breviceps* and *J. swinhonis swinhonis* (compared) 55–60.

CLOACA, *Ambystoma* (male anatomy in a hybrid population) 161–167; *Salamandrina terdigitata* (anatomy and secretions in females) 310–322.

CLUTCH SIZE, *Chelonia mydas* (variation in clutch size in Costa Rica) 181–189.

COURTSHIP, *Eurycea bislineata* complex (role of male caudal hedonic glands) 322–329.

DEFENSIVE BITING, *Desmognathus ochrophaeus* and *D. quadramaculatus* (antipredator behavior against snake attack) 167–171.

DIET, *Crotalus viridis oreganus* 299–304; *Phrynosoma* (related to skeletal morphology) 208–216; *Pseudonaja* (interspecific variation) 195–207.

DISTRIBUTION MAPS, *Anolis placidus* (new sp. from Dominican Republic) 334; *Centrolenella* (3 spp. in Ecuador and Peru) 409; *Coniophanes* (3 spp. in Ecuador and Peru) 413; *Desmognathus apalachicolae* (new sp. from SE USA) 43; *Japalura brevipes* (Taiwan) 55; *Norops schiedii* group (Mexico and Central America) 240; *Tenuidactylus montiumsalsorum* (Pakistan) 53.

ECOLOGY, *Desmognathus monticola* (age structure, growth, and maturation compared with *D. ochrophaeus*) 144–145; *Plethodon vehiculum* (surface activity, population structure, growth, and reproduction on Vancouver Island) 133–143; *Pseudonaja* (size, diet, and reproduction) 195–207; salamander community ecology (experimental methodology) 111–128; *Tenuidactylus montiumsalsorum* (Pakistan) 46–54.

EGGS, *Alligator mississippiensis* (amount of non-polar lipids) 305–309; *Chelodina oblonga* (counted and measured by ultra-sound scanning) 89–94; *Chelonia mydas* (variation in egg size in Costa Rica) 181–189; *Elaphe guttata, Trimeresurus flavoviridis,* and *T. okinavensis* (egg size related to clutch size and length of female) 75–83.

FORAGING, *Ambystoma texanum* larvae (related to general characteristics of prey) 459–467; *Bufo americanus* (optimal tadpole foraging) 283–292.

FOSSILS, *Proptychophis achoris* (new genus and sp. of Late Miocene rear-fanged colubrid from SW USA) 350–367.

GANGLION CELLS, *Tupinambis nigropunctatus* (associated with intrinsic tongue musculature) 217–227.

GEOGRAPHIC VARIATION, *Nerodia sipedon* and *Thamnophis sirtalis* (in body size) 84–88.

GLANDS, *Eurycea bislineata* complex (caudal hedonic skin glands of males) 322–329; *Salamandrina terdigitata* (cloacal glands of females) 310–322.

GROWTH, *Desmognathus monticola* 144–155; *Eleutherodactylus coqui* (related to sexual dimorphism) 68–74; *Plethodon vehiculum* (Vancouver Island) 133–143.

HATCHLINGS, *Alligator mississippiensis* (amount of non-polar lipids) 305–309.

HYBRIDS, *Ambystoma* (male cloacal anatomy in a hybrid population) 161–167; *Crotalus lepidus* × *C. willardi* (SW New Mexico) 344–349.

IMMOBILITY, *Plethodon* (duration in defensive behavior of 15 spp.) 467–472.

ISOELECTRIC FOCUSING, 11 spp. of viper (skin keratin) 242–249.

KARYOTYPES, *Gekko* (5 spp. from E and SE Asia) 440–441; microhylid frogs (15 spp. from New Guinea) 250–259.

KERATIN, 11 spp. of vipers (biochemical comparisons among shed skins) 242–249.

LARVAE, *Ambystoma texanum* (foraging behavior) 459–467; *Desmognathus monticola* (larval period compared with *D. ochrophaeus*) 144–155.

LIFE HISTORY, *Desmognathus monticola* (SW North Carolina) 144–145; *Plethodon vehiculum* (Vancouver Island) 133–143; *Pseudonaja* (interspecific variation) 195–207.

LIPIDS, *Alligator mississippiensis* (eggs and hatchlings) 305–309.

LOCOMOTION, *Rana clamitans, R. pipiens, Bufo americanus,* and *B. marinus* (when osmotically stressed) 101–110.

LUNG, *Tupinambis nigropunctatus* (intrinsic musculature and its innervation) 217–227.
MATE CHOICE, newts and salamanders 265–282.
MORPHOLOGY, *Phrynosoma* (skeletal morphology related to diet) 208–216; *Rana* spp. in New Guinea (discriminant function analysis) 336–343.
NESTING, *Chrysemys picta* (nesting migration) 94–100; *Ctenosaura similis* and *Iguana iguana* (communal nesting burrow systems) 293–298; *Dermochelys coriacea* (reproductive philopatry in the West Indies) 190–194.
ONTOGENY, *Ambystoma texanum* larvae (foraging behavior) 459–467.
PARENTAL CARE, newts and salamanders 265–282.
PHYLOGENY, *Mesaspis* (4 spp.) 227–232; snakes (North American) 350–367; squamates 368–379; Typhlonectidae (genera) 23–36; vipers (biochemistry of skin keratin of 11 spp.) 242–249.
PHYSIOLOGY, *Chrysemys picta* (anaerobic metabolism during nesting) 94–100; *Rana clamitans, R. pipiens, Bufo americanus,* and *B. marinus* (effect of dehydration on locomotion) 101–110.
POLYMORPHISM, *Hyla favosa* (color) 17–23.
POLYPLOID, *Cophixalus pansus* 250–259.
POPULATION DYNAMICS, newts and salamanders 265–282.
PREDATOR AVOIDANCE, *Bufo americanus* tadpoles (alarm substance) 283–292; *Plethodon* (immobility) 467–482.
REPRODUCTION, *Ambystoma* (cloacal anatomy and spermatophore production in a hybrid population) 161–167; *Chelodina oblonga* (follicles and oviductal eggs counted and measured by ultra-sound scanning) 89–94; *Chelonia mydas* (variation in clutch size and egg size) 181–189; *Chrysemys picta* (energetics of nesting) 94–100; *Ctenosaura similis* and *Iguana iguana* (communal nesting burrow systems) 293–298; *Dermochelys coriacea* (reproductive philopatry in the West Indies) 190–194; *Desmognathus monticola* (relationship between age and body size at first reproduction) 144–145; *Elaphe guttata, Trimeresurus flavoviridis,* and *T. okinavensis* (body size, clutch size, and egg size relationships) 75–83; *Eleutherodactylus coqui* (male mating success) 68–74; newts and salamanders (reproductive physiology) 265–282; *Plethodon vehiculum* (Vancouver Island) 133–143; *Pseudonaja* (interspecific variation) 195–207; *Salamandrina terdigitata* (cloaca and cloacal glands of females) 310–322.
SEXUAL DIMORPHISM, *Eleutherodactylus coqui* (in body size related to energetic constraints) 68–74; *Eurycea bislineata* complex (caudal hedonic skin glands in males) 322–329.
SEXUAL SELECTION, newts and salamanders 265–282.
SEXUAL STRATEGY, newts and salamanders 265–282.
SONOGRAM, *Cycloramphus juimirim* (new sp. from Brazil) 428; *Hyla koechlini* (new sp. from Brazil) 8.
SPERM COMPETITION, newts and salamanders 265–282.
SYSTEMATICS, *Hyla allenorum* and *H. koechlini* (new South American spp.) 1–10; *Ptychohyla* (status of genus) 10–17; *Ptychohyla merazi* (new sp. from Honduras) 10–17.
TADPOLES, *Hyla koechlini* 1–10; *Ptychohyla merazi* 10–17.
TAIL AUTOTOMY, *Desmognathus ochrophaeus* (in response to snake attack) 167–171.
TAXONOMY, *Anolis placidus* (new sp. from Dominican Republic) 330–336; classification of squamates 368–379; *Desmognathus apalachicolae* (new sp. from SE USA) 37–46; *Hyla allenorum* and *H. koechlini* (new Peruvian spp.) 1–10; status of *Hyla favosa* (junior synonym of *H. leucophyllata*) 17–23; status of *Japalura brevipes* (redescribed as valid sp.) 55–60; status of *Nectocaecilia fasciata* (junior synonym of *Chthonerpeton indistinctum*) 23–36; status of genus *Pseudotyphlonectes* (combined with *Typhlonectes*) 23–36; *Norops naufragus* (new sp. from Mexico) 232–242; *Ptychohyla* (not a monophyletic genus) 10–17; *Ptychohyla merazi* (new sp. from Honduras) 10–17; *Tenuidactylus montiumsalsorum* (rediscovered and redescribed gecko from Pakistan) 46–54; vipers (systematic value of skin keratin biochemistry) 242–249.
TERRITORIALITY, 4 spp. of *Ambystoma* (laboratory tests) 155–160.
VOCALIZATION, *Hyla koechlini* 1–10; *Pseudacris crucifer* (graded aggressive calls) 172–181.

HERPETOLOGICA

Volume 45 December 1989

TABLE OF CONTENTS

Adams, M. (see Donnellan, S. C.)
Adams, Thomas W. (see Eckert, Karen L.)
Allison, Allen (see Kuramoto, Mitsuru)
Aplin, K. P. (see Donnellan, S. C.)
Announcements 130, 264, 383
Anthony, Carl D. (see Brodie, Edmund D., Jr.)
Aumann, Ursula (see Perry, Steven F.)
Bachmann, Marilyn D. (see McWilliams, Scott R.)
Barker, David G. (see Campbell, Jonathan A.)
Bentley, David L. (see Chiasson, Robert B.)
Birchard, Geoffrey F. (see Packard, Gary C.)
Bjorndal, Karen A. and Archie Carr
Variation in Clutch Size and Egg Size in the Green Turtle Nesting Population at Tortuguero, Costa Rica 181
Bogart, James P. (see Sever, David M.)
Book Reviews 259
Brizzi, R., G. Delfino, and C. Calloni
Female Cloacal Anatomy in the Spectacled Salamander, *Salamandrina terdigitata* (Amphibia: Salamandridae) 310
Brodie, Edmund D., Jr. (see Campbell, Jonathan A.)
Brodie, Edmund D., Jr. (see Formanowicz, Daniel R., Jr.)
Brodie, Edmund D., Jr., Tanya G. Dowdey, and Carl D. Anthony
Salamander Antipredator Strategies Against Snake Attack: Biting by *Desmognathus* 167
Bruce, Richard C.
Life History of the Salamander *Desmognathus monticola*, with a Comparison of the Larval Periods of *D. monticola* and *D. ochrophaeus* 144
Cadle, John E.
A New Species of *Coniophanes* (Serpentes: Colubridae) from Northwestern Peru 411
Calloni, C. (see Brizzi, R.)
Campbell, Jonathan A., Edmund D. Brodie, Jr., David G. Barker, and Andrew H. Price
An Apparent Natural Hybrid Rattlesnake and *Crotalus willardi* (Viperidae) from the Peloncillo Mountains of Southwestern New Mexico 344
Campbell, Jonathan A., David M. Hillis, and William W. Lamar
A New Lizard of the Genus *Norops* (Sauria: Iguanidae) from the Cloud Forest of Hidalgo, México 232
Campbell, Jonathan A. and Donald H. Whitmore, Jr.
A Comparison of the Skin Keratin Biochemistry in Vipers with Comments on its Systematic Value 242
Carr, Archie (see Bjorndal, Karen A.)
Cerdas, Luis (see Solórzano, Alejandro)
Chiasson, Robert D., David L. Bentley, and Charles H. Lowe
Scale Morphology in *Agkistrodon* and Closely Related Crotaline Genera 430
Congdon, Justin D. and Robert E. Gatten, Jr.
Movements and Energetics of Nesting *Chrysemys picta* 94
Congdon, Justin D. and J. Whitfield Gibbons
Posthatching Yolk Reserves in Hatchling American Alligators 305
Delfino, G. (see Brizzi, R.)
Dodd, C. Kenneth, Jr.
Duration of Immobility in Salamanders, Genus *Plethodon* (Caudata: Plethodontidae) 467
Donnellan, S. C., M. Adams, and K. P. Aplin
A Biochemical and Morphological Study of *Rana* (Anura: Ranidae) from the Chimbu Province, Papua New Guinea 336
Dowdey, Tanya G. (see Brodie, Edmund D., Jr.)

Ducey, Peter K.
Agonistic Behavior and Biting During Intraspecific Encounters in *Ambystoma* salamanders ... 155
Duellman, William E. (see Titus, Tom A.)
Duellman, William E. and Linda Trueb
Two New Treefrogs of the *Hyla parviceps* Group from the Amazon Basin in Southern Peru ... 1
Eckert, Karen L., Scott A. Eckert, Thomas W. Adams, and Anton D. Tucker
Inter-nesting Migrations by Leatherback Sea Turtles (*Dermochelys coriacea*) in the West Indies ... 190
Eckert, Scott A. (see Eckert, Karen L.)
Flores, Glenn and Roy W. McDiarmid
Two New Species of South American *Centrolenella* (Anura: Centrolenidae) Related to *C. mariae* ... 401
Ford, Neil B. and Richard A. Seigel
Relationships among Body Size, Clutch Size, and Egg Size in Three Species of Oviparous Snakes ... 75
Formanowicz, Daniel R., Jr., Edmund D. Brodie, Jr., and Scott C. Wise
Foraging Behavior of Matamata Turtles: The Effects of Prey Density and the Presence of a Conspecific ... 61
Gatten, Robert E., Jr. (see Congdon, Justin D.)
Gatten, Robert E., Jr. (see Moore, Franklin R.)
Gibbons, J. Whitfield (see Congdon, Justin D.)
Good, David A.
Allozyme Variation and Phylogenetic Relationships among the Species of *Mesaspis* (Squamata: Anguidae) ... 227
Gregory, Patrick T. (see Ovaska, Kristina)
Haddad, Célio F. B. and Ivan Sazima
A New Species of *Cycloramphus* from Southeastern Brazil (Amphibia: Leptodactylidae) ... 425
Hairston, Nelson G., Sr.
Hard Choices in Ecological Experimentation ... 119
Hedges, S. Blair and Richard Thomas
A New Species of *Anolis* (Sauria: Iguanidae) from the Sierra de Neiba, Hispaniola ... 330
Hillis, David M. (see Campbell, Jonathan A.)
Hillis, David M. (see Titus, Tom A.)
Index to Scientific Names for Volume 45 ... 483
Instructions for Contributors ... 380
Jaeger, Robert G. and Susan C. Walls
On Salamander Guilds and Ecological Methodology ... 111
Khan, M. S.
Rediscovery and Redescription of the Highland Ground Gecko *Tenuidactylus montium-salsorum* (Annandale, 1913) ... 46
King, Richard B.
Body Size Variation among Island and Mainland Snake Populations ... 84
Kluge, Arnold G.
Progress in Squamate Classification ... 368
Kuchling, Gerald
Assessment of Ovarian Follicles and Oviductal Eggs by Ultra-sound Scanning in Live Freshwater Turtles, *Chelodina oblonga* ... 89
Kuramoto, Mitsuru and Allen Allison
Karyotypes of Microhylid Frogs of Papua New Guinea and Their Systematic Implications ... 250
Lamar, William W. (see Campbell, Jonathan A.)
Licht, Lawrence E. (see Sever, David M.)
Lowe, Charles H. (see Chiasson, Robert B.)
Macartney, J. Malcolm
Diet of the Northern Pacific Rattlesnake, *Crotalus viridis oreganus*, in British Columbia ... 299
Maloney, J. E. (see Perry, Steven F.)
McCranie, James R. (see Wilson, Larry David)
McDiarmid, Roy C. (see Flores, Glenn)
McWilliams, Scott R. and Marilyn D. Bachmann
Predatory Behavior of Larval Small-mouthed Salamanders (*Ambystoma texanum*) ... 459

Means, D. Bruce and Alvin A. Karlin
A New Species of *Desmognathus* from the Eastern Gulf Coastal Plain 37
Montanucci, Richard R.
The Relationship of Morphology to Diet in the Horned Lizard Genus *Phrynosoma* 208
Moore, Franklin R. and Robert E. Gatten, Jr.
Locomotor Performance of Hydrated, Dehydrated, and Osmotically Stressed Anuran Amphibians 101
Mora, Jose M.
Eco-behavioral Aspects of Two Communally Nesting Iguanines and the Structure of Their Shared Nesting Burrows 293
Morin, Peter J.
New Directions in Amphibian Community Ecology 124
Nishikawa, Kiisa C.
"Organismal" Vs. "Mechanistic" Biology 473
Ota, Hidetoshi
Japalura brevipes Gressitt (Agamidae: Reptilia), a Valid Species from a High Altitude Area of Taiwan 55
Ota, Hidetoshi
Karyotypes of Five Species of *Gekko* (Gekkonidae: Lacertilia) from East and Southeast Asia 438
Ovaska, Kristina and Patrick T. Gregory
Population Structure, Growth, and Reproduction in a Vancouver Island Population of the Salamander *Plethodon vehiculum* 133
Packard, Gary C., Mary J. Packard, and Geoffrey F. Birchard
Sexual Differentiation and Hatching Success by Painted Turtles Incubating in Different Thermal and Hydric Environments 385
Packard, Mary J. (see Packard, Gary C.)
Perry, Steven, F., Ursula Aumann, and J. E. Maloney
Intrinsic Lung Musculature and Associated Ganglion Cells in a Teiid Lizard, *Tupinambis nigropunctatus* Spix 217
Petranka, James W.
Response of Toad Tadpoles to Conflicting Chemical Stimuli: Predator Avoidance Versus "Optimal" Foraging 283
Price, Andrew H. (see Campbell, Jonathan A.)
Sazima, Ivan (see Haddad, Célio F. B.)
Schwaner, Terry D.
A Field Study of Thermoregulation in Black Tiger Snakes (*Notechis ater niger*: Elapidae) on the Franklin Islands, South Australia 393
Schwartz, Joshua J.
Graded Aggressive Calls of the Spring Peeper, *Pseudacris crucifer* 172
Seigel, Richard A. (see Ford, Neil B.)
Sever, David M.
Caudal Hedonic Glands in Salamanders of the *Eurycea bislineata* Complex (Amphibia: Plethodontidae) 322
Sever, David M., Lawrence E. Licht, and James P. Bogart
Male Cloacal Anatomy in a Hybrid Population of *Ambystoma* (Amphibia: Caudata) 161
Shine, Richard
Constraints, Allometry, and Adaptation: Food Habits and Reproductive Biology of Australian Brownsnakes (*Pseudonaja*: Elapidae) 195
Solórzano, Alejandro and Luis Cerdas
Reproductive Biology and Distribution of the Terciopelo, *Bothrops asper* Garman (Serpentes: Viperidae), in Costa Rica 444
Statement of Assets and Liabilities 129
Summary of Business Conducted at the Annual Meeting 479
Thomas, Richard (see Hedges, S. Blair)
Titus, Tom A., David M. Hillis, and William E. Duellman
Color Polymorphism in Neotropical Treefrogs: An Allozymic Investigation of the Taxonomic Status of *Hyla favosa* Cope 17
Topical Index for Volume 45 491
Townsend, Daniel S.
The Consequences of Microhabitat Choice for Male Reproductive Success in a Tropical Frog (*Eleutherodactylus coqui*) 451
Trueb, Linda (see Duellman, William E.)
Tucker, Anton D. (see Eckert, Karen L.)

Verrell, Paul A.
The Sexual Strategies of Natural Populations of Newts and Salamanders 265
Walls, Susan C. (see Jaeger, Robert G.)
Whistler, David P. and John W. Wright
A Late Miocene Rear-fanged Colubrid Snake from California with Comments on the Phylogeny of North American Snakes 350
Whitmore, Donald H., Jr. (see Campbell, Jonathan A.)
Wilbur, Henry M.
In Defense of Tanks 122
Wilkinson, Mark
On the Status of *Nectocaecilia fasciata* Taylor, with a Discussion of the Phylogeny of the Typhlonectidae (Amphibia: Gymnophiona) 23
Wilson, Larry David and James R. McCranie
A New Species of *Ptychohyla* of the *euthysanota* Group from Honduras, with Comments on the Status of the Genus *Ptychohyla* Taylor (Anura: Hylidae) 10
Wise, Scott C. (see Formanowicz, Daniel R., Jr.)
Woolbright, Lawrence L.
Sexual Dimorphism in *Eleutherodactylus coqui*: Selection Pressures and Growth Rates 68
Wright, John W. (see Whistler, David P.)